•			رجع
Nation of Allowability	Application No.	Applicant(s)	
	10/785,239	YANG ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Mike Qi	2871	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the or other appropriate communication is sub and MPEP 1308.	nis application. If not include cation will be mailed in due	led course. <b>THIS</b>
1. This communication is responsive to the amendement file			
2. X The allowed claim(s) is/are 1,2,4-10,13,17-19,21,22,25 an	<u>nd 26</u> .		
<ol> <li>Acknowledgment is made of a claim for foreign priority u         <ul> <li>All b)</li></ul></li></ol>	e been received. e been received in Application I cuments have been received in	No n this national stage applica	
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give			NOTICE OF
<ol> <li>CORRECTED DRAWINGS ( as "replacement sheets") mu</li> <li>(a)  including changes required by the Notice of Draftsper</li> <li>1)  hereto or 2)  to Paper No./Mail Date</li> <li>(b)  including changes required by the attached Examiner Paper No./Mail Date</li> </ol>	son's Patent Drawing Review (		·
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the the header according to 37 CFR	drawings in the front (not th	e back) of
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATER FOR THE DEPOSIT OF BIOLO	NAL must be submitted. OGICAL MATERIAL.	Note the
	•		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO/SB/08),	6. ☐ Interview Sum Paper No./Ma	mal Patent Application mary (PTO-413), ail Date mendment/Comment	
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's St	atement of Reasons for All	owance

Art Unit: 2871

## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the specification, Brief Description of Drawings includes a description of each Figure, and only those Figures, in which the description of Fig. 11 is missing.

Therefore, the specification, after paragraph [0021], should insert one paragraph

-- Fig.11 is a cross-sectional view showing an LCD apparatus having a plurality of
column spacers according to an exemplary embodiment of the present invention; --

Application/Control Number: 10/785,239

Art Unit: 2871

## **DETAILED ACTION**

## Allowable Subject Matter

- 1. Claims 1-2, 4-10, 13, 17-19, 21-22 and 25-26 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

Claims 1-2, 4-10, 13, 17-19, 21-22 and 25-26 are allowable because the prior art of record neither anticipated nor rendered obvious that a display device and a method of making a display device comprises various related elements and steps with specific features recited in claims 1, 8, 18 and 21 as follows:

a plurality of spacers including a first spacer is positioned in a display region, in which the first spacer contacts the second electrode (pixel electrode) and a distance between neighboring spacers decreased as the spacers approach a center of the display region as shown in Fig.7 and Fig.11.

Applicant filed English translations for the priority documents in order to effect the priority filing date. Such that the prior art of the references do not teach the specific arrangement of the spacers in a display region, i.e., a distance between neighboring spacers decreased as the spacers approach a center of the display region as claimed and as shown in Fig.11.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/785,239 Page 3

Art Unit: 2871

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mike Qi whose telephone number is (571) 272-2299. The examiner can normally be reached on M-T 7:30 am-6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571) 272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Mike Qi Patent examiner May 11, 2007